



## CAULKS & SEALANTS



titebond.com | 800.347.4583



### WEATHERMASTER

Specifically formulated to provide the best possible performance on siding, windows, doors and vents by offering permanent flexibility and unbeatable adhesion to the most common building materials.

- Joint movement  $\pm$  50%
- UV-resistant
- Paintable after 1 hour

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	44001	12	108
Clear	43991	12	108
Translucent	44011	12	108
175+ colors available			



### METAL ROOF

Specifically designed to adhere to Kynar™, stainless steel, aluminum siding, gutters and other metal surfaces.

- Miami-Dade County approved
- Joint movement  $\pm$  50%
- Exceptional adhesion to Kynar™ coated metals



Certifies that this product has been tested to meet requirements for use in high wind areas.

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	61001	12	108
50+ colors available			
20 oz Sausage			
White	63002	20	45
11 colors available			



### ULTIMATE MP

Ideal for use on a variety of roofing applications, gutters, metal and vinyl siding, fiber cement siding windows, doors and air vents. It forms a flexible, weather-tight seal against water, wind, dust and dirt.

- Miami-Dade County approved
- Joint movement  $\pm$  50%
- Outperforms silicone, tripolymer & urethane sealants



Certifies that this product has been tested to meet requirements for use in high wind areas.

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	71001	12	108
10+ colors available			
20 oz Sausage			
White	71002	20	45
11 colors available			




### ULTIMATE MP TEXTURED

An elastic moisture curing sealant with a textured consistency perfect for use on most construction materials, including asphalt, stucco, concrete, mortar, wood, brick and stone.

- Joint movement  $\pm$  35%
- Wide temperature application range
- Paintable after 1 hour

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	88001	12	108
6 colors available			



### CONCRETE JOINT SL

A one-component, self-leveling, premium grade, high performance polymer sealant specifically engineered to create a permanent and durable seal for contraction/expansion joints and cracks in concrete.

- Joint movement  $\pm$  25%
- Weather resistant
- Smooth, easy flow

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
Gray	3191	12	108
28 oz Cartridge			
Black	3162	12	44
Gray	3192	12	44



### 100% SILICONE

An RTV industrial sealant that is ideal for both interior and exterior applications. Provides excellent adhesion to many common construction materials and is resistant to yellowing, fading and cracking.

- Joint movement  $\pm$  25%
- Weather resistant
- NSF 51 Certified for direct food contact

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	2601	12	108
Clear	2611	12	108
Almond	2621	12	108
Black	2631	12	108



## ACOUSTICAL SMOKE & SOUND

A non-flammable, latex-based product designed specifically for the reduction of sound transmission in wall partition systems by remaining permanently flexible and firmly adhering to building substrates.

- Joint movement  $\pm 25\%$
- UL Classified
- Paintable after 2-4 hours

size	item #	units/case	cases/pallet
28 oz Cartridge	2892	12	44
5 Gallon Pail	2897	1	24



## UA 920

A urethane acrylic elastomeric formula that is non-yellowing, mildew resistant, airtight and permanently flexible, making it the professional's ideal choice for both interior and exterior construction.

- Joint movement  $\pm 25\%$
- 800% elongation
- Paintable after 2-4 hours

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	8701	12	108
Almond	8711	12	108
Bronze	8731	12	108
Clear	8741	12	108



## ALL SIDING

A unique, premium grade elastomeric sealant formula that offers superior adhesion to all common construction materials.

- Joint movement  $\pm 25\%$
- Weather resistant – Paintable after 2-4 hours

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	3301	12	108
6 colors available			



## GUTTER & SEAM

A long-lasting advanced polymer sealant formulated specifically for sealing aluminum, galvanized and vinyl clad gutters and downspouts.

- Joint movement  $\pm 50\%$
- Weather resistant
- Paintable after one hour

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	7321	12	108
Aluminum Gray	7331	12	108



## PAINTER'S PLUS

A high-quality, versatile, silicized acrylic caulk designed for both interior and exterior applications with an excellent, flexible bond to most common building materials.

- De-aired for a smoother bead
- Paintable after 2-4 hours
- Easy water clean-up

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	8301	12	108
8 colors available			



## PAINTER'S

An economical, easy-to-use caulk that is formulated for interior pre-paint preparation by offering strong adhesion to most common building materials.

- Mildew resistant
- Paintable after 2-4 hours
- Easy water clean-up

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
White	7301	12	108



## RADON

A flexible, durable product specifically designed to reduce the entry of radon through foundation cracks, joints, penetrations and coatings.

- Joint movement  $\pm 25\%$
- Weather resistant
- Paintable after 2-4 hours

size	item #	units/case	cases/pallet
10.1 oz Cartridge			
Gray	3251	12	108



## ROOF CEMENT

An all-weather, asphalt-based patching compound specifically formulated to repair cracks, seams, gaps and holes in roofing materials.

- Resists cracking
- Weather resistant
- Wide temperature application range 50°F-120°F

size	item #	units/case	cases/pallet
10.3 oz Cartridge			
Black	3211	12	108




## ROOF PLUS

A water-resistant, solvent based, elastomeric rubber sealant designed for various roofing applications.

- Easy to gun & tool
- Primerless application
- Weather resistant

size	item #	units/case	cases/pallet
10.1 oz Cartridge Clear	3241	12	108




## CONCRETE REPAIR

A durable, acrylic latex formula for the repair of cracks in concrete, masonry and stucco surfaces that provides a strong, flexible bond and will not chip or pull away from the surface.

- Excellent adhesion & flexibility
- Weather resistant
- Paintable after 2-4 hours

size	item #	units/case	cases/pallet
10.1 oz Cartridge Gray	3171	12	108



## BLACKTOP REPAIR

A durable, acrylic-latex formula for the repair of cracks in asphalt that offers excellent adhesion and flexibility, will not chip or peel away from the surface.

- Excellent adhesion & flexibility
- Weather resistant
- Durable – Resists oil, gas, grease & salt

size	item #	units/case	cases/pallet
10.1 oz Cartridge Black	3181	12	108



## KITCHEN & BATH

A modified acrylic formula specifically designed to permanently seal high-moisture areas found in kitchens and baths which provides mildew and stain resistance, will not discolor over time and is safe for food preparation.

- Excellent adhesion & flexibility
- Weather resistant – Paintable after 2-4 hours

size	item #	units/case	cases/pallet
10.1 oz Cartridge White	1701	12	108
10.1 oz Cartridge Clear	1711	12	108



## X-TREME MULTI-PURPOSE FOAM

A low pressure, one-component polyurethane foam sealant formulated to fill and seal small cracks and voids to create a barrier against noise, moisture and infiltration.

- 3X the expansion of other foams
- Quick setting – 5 minutes
- GREENGUARD Gold Certified

size	item #	units/case	cases/pallet
12 oz Can – Straw	8521	12	75
24 oz Can – Gun	8522	12	48



## X-TREME WINDOW & DOOR FOAM

Low pressure one-component polyurethane foam sealant is a high yield, low pressure build window and door foam sealant.

- Quick setting – 5 minutes
- Resists moisture & mold
- GREENGUARD Gold Certified
- Closed cell formula

size	item #	units/case	cases/pallet
12 oz Can – Straw	8531	12	75
24 oz Can – Gun	8532	12	48



## X-TREME FIREBLOCK FOAM

A low pressure one-component polyurethane foam sealant is a moisture cured foam designed to seal, fill, bond and stop air infiltration in areas where a fireblock product is required.

- 3X the expansion of other foams
- Quick setting – 5 minutes
- GREENGUARD Gold Certified

size	item #	units/case	cases/pallet
12 oz Can – Straw	8541	12	75
24 oz Can – Gun	8542	12	48



## X-TREME MULTI-PURPOSE CLEANER

Designed to clean-up WeatherMaster X-TREME foam sealants, this product is an acetone cleaner and is not meant to be used on surfaces that are not solvent or acetone resistant.

- Cleans foam dispensing unit
- Removes adhesives & uncured foam
- General purpose cleaner

size	item #	units/case	cases/pallet
12 oz Can	8551	12	75



## SUPERFOAM

Low pressure, medium density, two-component spray polyurethane foams designed to fill and seal various size voids, deaden sound or reduce vibration and can lower heating and cooling costs.

- **Class 1(A) fire rated foam**
- **Improves indoor air quality**
- **GREENGUARD Gold Certified**

size	item #	units/case	cases/pallet
<b>SuperFoam 100 2 Part Spray Kit</b>			
1 Pack	84100	1	26
<b>SuperFoam 200 2 Part Spray Kit</b>			
1 Pack	84200	1	26
<b>SuperFoam 600 2 Part A</b>			
1 Pack	84600A	1	9
<b>SuperFoam 600 2 Part B</b>			
1 Pack	84600B	1	9



## X-TREME DISPENSING UNIT

A durable intermediate dispensing unit ideal for frequent use by the professional contractor. Designed to work with WeatherMaster X-TREME foam sealants, it allows for adjustable bead control, is solvent resistant and includes a basket and needle valve.

- **Heavy-duty construction**
- **Modifiable bead control with instant shut off**
- **Solvent resistant**

size	item #	units/case	cases/pallet
7" Barrel Length	17862	2	120