

INSTANT BOND ADHESIVES



Titebond
INSTANT BOND Adhesive
THIN
Solidify Decayed Wood
Repair Hair Line Cracks
Wood, Metal, Stone, Plastic, Ceramic, Glass & More
CAUTION: IRRITANT.
Avoid skin, eyes, & other mucous membranes.

Titebond
INSTANT BOND Adhesive
MEDIUM
Fill Wood Defects
Wood Finish & Protectant
Wood, Metal, Stone, Plastic, Ceramic, Glass & More
CAUTION: IRRITANT.
Avoid skin, eyes, & other mucous membranes.

Titebond
INSTANT BOND Adhesive
THICK
Bond Miter Joints
Finish & Trim Carpentry
Wood, Metal, Stone, Plastic, Ceramic, Glass & More

Titebond
INSTANT BOND Adhesive
GEL
No Run - Fills Large Gaps
MDF & Porous Wood
Wood, Metal, Stone, Plastic, Ceramic, Glass & More
CAUTION: IRRITANT.
Avoid skin, eyes, & other mucous membranes.

Titebond
THE PRO'S ADVANTAGE

Performance You Demand

For over 85 years, Titebond has been the industry leader in bonding wood and wood products. Our strong tradition and professional acceptance have been built on unsurpassed product quality, technical expertise, and customized solutions.

We realize the demand for high-performance "instant adhesives" continues to expand. That's why Titebond offers Instant Bond premium cyanoacrylate adhesives and accelerators. Whether you are a professional, hobbyist, or DIYer, we can help you achieve professional, immediate results for your project...

Without the Wait!

Titebond
THE PRO'S ADVANTAGE

INSTANT BOND

Titebond Instant Bond is a high-performance, one- or two-part adhesive system that offers extremely fast set times and initial cure. They provide strong, impact-resistant, and permanent bonds to wood, metals, plastics, and so much more. Ideal for hard to reach joints or surface areas that are difficult to clamp, Instant Bond Adhesives play an essential role in professional woodworking, home repairs, and craft projects.

NO-CLOG APPLICATOR
Incredible Strength
 FLEXIBLE
 NEUTRALIZES ACIDITY
Superior Quality
 2-YEAR SHELF LIFE
 TOUGH & DURABLE
Impact Resistant



THIN	MEDIUM	MEDIUM - JET BLACK	THICK	GEL
2 oz Part #: 6201	2 oz Part #: 6211	2 oz Part #: 8211	2 oz Part #: 6221	2 oz Part #: 6231
4 oz Part #: 6202	4 oz Part #: 6212	4 oz Part #: Not available	4 oz Part #: 6222	4 oz Part #: 6232
Viscosity: 5 cps	Viscosity: 120 cps	Viscosity: 500 cps	Viscosity: 2,400 cps	Viscosity: >50,000 cps
Gap Fill: .002"	Gap Fill: .005"	Gap Fill: .008"	Gap Fill: .008"	Gap Fill: .010"
Set Time: 3 seconds	Set Time: 5 seconds	Set Time: 50 seconds	Set Time: 8 seconds	Set Time: 20 seconds
Final Cure: 8 hours	Final Cure: 8 hours	Final Cure: 24 hours	Final Cure: 8 hours	Final Cure: 8 hours
MIL Specs: Type II, Class 1	MIL Specs: Type II, Class 2	MIL Specs: Type II, Class 3	MIL Specs: Type II, Class 3	MIL Specs: Type II, Class 3

IMMEDIATE. PROFESSIONAL. RESULTS.

ADHESIVES

Think Fast! When you demand immediate, professional results, Instant Bond is the answer. Our pure, high-quality cyanoacrylate adhesives are available in four viscosities, depending on your application or required MIL specification. Specifically designed to deliver superior and consistent performance on wood, these adhesives also offer excellent adhesion to most common materials.

- | | |
|---|---|
| Adheres To | Ideal For |
| <ul style="list-style-type: none"> • Wood • MDF • Acrylic • Ceramic • Porcelain • Chrome • Leather • Brass • PVC • Polyester • Granite • Nylon • Stainless Steel • Fiberglass • Polystyrene • Aluminum • Natural Rubber • Gemstones | <ul style="list-style-type: none"> • Hairline cracks • Small defect repair • Pen making • Models and crafts • Wood knots and voids • Finish carpentry • Molding and trim • Decorative inlays • Chair repair (leg, spindle, etc.) • Soak end grain—Prevent splitting • Wood finish/protectant • Granite countertop installation • Porous and odd-shaped surfaces • Assembly of jigs and fixtures • Gluing turning blocks to scrap • Miter joints (crown molding) |

ACCELERATORS

Think Even Faster! Our easy-to-use, heptane-based Accelerator and Activator are formulated for use with any Instant Bond Adhesive. They neutralize the acidity in wood for stronger, more consistent bonds and are perfect for highly porous materials and low humidity conditions. The Accelerator and Activator are both ideal for pre-assembly and post-assembly applications.

ACCELERATOR	ACTIVATOR
5.5 oz Part #: 6319	2 oz Part #: 6311
Viscosity: 3 cps	Viscosity: 3 cps
Application: Aerosol Spray	Application: Pump Spray

- User Tips**
- Handle product carefully and read label cautions
 - Protect eyes, hands, and work areas
 - Ensure adequate ventilation during application
 - Store in cool, dry place to optimize shelf life
 - Apply adhesive in temperatures above 50°F
 - Handling and set times may be affected by materials and environmental conditions
 - For more complex projects, ensure that all pieces are ready for assembly
 - To fill larger cracks, we recommend using layers of adhesive & accelerator
 - For adhesive cleanup, use acetone. Follow solvent vendor's precautions
 - After use, wipe nozzle with dry cloth & replace cap

CALL 1-800-347-4583
 TO DISCUSS YOUR BONDING NEEDS!

Titebond®

THE PRO'S ADVANTAGE



Franklin International

Columbus, Ohio 43207 614.443.0241 Technical Service 1.800.347.4583

©2024 00391_7745bcm FF729